



2

1

| ELECTRICAL CHARACTERISTICS | |
|----------------------------|----------------------|
| CENTER FREQUENCY | 375 MHz |
| 3dB BANDWIDTH | 128 MHz MIN. |
| GROUP DELAY FLATNESS | <65 NSEC ACROSS 3 dB |
| LOSS @ fo | <1.0 dB |
| 40 dB REJECTION | DC->301, 439->1 GHz |
| VSWR | <1.5:1 TYP |




BOTTOM VIEW



TOP VIEW

COPY



Confidential and Proprietary information of ComNav Engineering Inc. Do Not Duplicate or Use Without Permission. ComNav Engineering Inc. claims Copyright in this document as of the Creation, last revision, and last updated dates. All Rights Reserved.

NOTES:

BOTH CONNECTORS ARE SMA.
COMNAV PART# AND DATE CODE ARE ETCHED ON LID.

| | | | | | | | | | | | |
|--|--|---------------------|--|---------|--|----------------------------|--|--------------|--|--------------------|--|
| ENGLISH / METRIC ENGLISH | | CHECKED BY | | | | | | | | A | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED | | DRAWN BY | | RME | | | | | | A | |
| MACHINED SURFACES TO BE 125 / OR BETTER REMOVE ALL BURRS | | ENGINEER | | MJJ | | REV | | DATE | | BY | |
| | | MJJ | | 04OCT01 | | MJJ | | DEV. | | INI. ISS. PER 1744 | |
| | | | | | | BY | | DCN No. | | REMARKS | |
| ENGLISH (INCHES) | | METRIC (MM) | | SCALE | | APPLIC: CHIP & WIRE FILTER | | | | | |
| .XX ±.02 .XXX ±.010 | | .X ±.25 .XX ±.13 | | 1:1 | | | | | | | |
| ANGLES ± 0° 30' | | | | DATE | | TITLE: 17BLH5-375/128-0 | | | | | |
| | | | | 17OCT01 | | | | | | | |
| COMNAV ENGINEERING INC. | | MATERIAL: N/A | | | | DRAWING No. | | SHEET OF 1 1 | | | |
| | | FINISH: N/A | | | | 0L0362 | | | | | |